

•	
09/844,822	APPS ET AL.
Examiner	Art Unit
Stephen J. Castellano	3727
RIGHTS. This application is subject to	•
<u>d 64</u> .	
of this communication to file a reply MENT of this application.	complying with the requirements
nitted. Note the attached EXAMINER res reason(s) why the oath or declara	
st be submitted.	
son's Patent Drawing Review (PTO	-948) attached
_•	·
's Amendment / Comment or in the (	Office action of
1.84(c)) should be written on the drawi the header according to 37 CFR 1.121	
osit of BIOLOGICAL MATERIAL I	
·	
Paper No./Mail Da	•
08), 7. Examiner's Amend	ment/Comment
8.   Examiner's Statem	ent of Reasons for Allowance
9.	S. Custellano Stephen Castellano Primary Examiner
	Examiner  Stephen J. Castellano  Rears on the cover sheet with the county of the appropriate communication and MPEP 1308.  Inder 35 U.S.C. § 119(a)-(d) or (f).  Rebeen received.  Rebeen received in Application No  Cocuments have been received in this application.  In of this communication to file a reply MENT of this application.  In of this application.  In the communication to file a reply MENT of this application.  In the communication to file a reply MENT of this application.  In the county of this application of the county of the submitted.  In the county of the strategies of the county of

Application/Control Number: 09/844,822

Art Unit: 3727

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. John Carlson on April 21, 2006.

The application has been amended as follows:

Claim 1, line 4, "portion" has been deleted,

line 6, "portion" has been deleted,

line 8, --, wherein the entire upper edge is spaced below the uppermost surface of the pylons -- has been added before the semicolon,

line 12, "portion" has been deleted.

Claim 2, line 2, "portion" has been deleted twice (both occurrences).

Claim 3, line 1, "portion" has been deleted,

line 3, "portion" has been deleted.

Claim 55, line 3, "portion" has been deleted.

Claims 45-49 and 60-62 have been canceled.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen J. Castellano whose telephone number is 571-272-4535. The examiner can normally be reached on Tu-F 6:30-5.

Art Unit: 3727

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Stephen J. Castellano Primary Examiner

Art Unit 3727